

CART: the Constituent-oriented Age and Residence time Theory


A holistic tool to help understand complex reactive transport processes

Eric Deleersnijder^a, Eric J.M. Delhez^b and Anne Mouchet^c

^a Université catholique de Louvain, Louvain-la-Neuve, Belgium, eric.deleersnijder@uclouvain.be

^b Université de Liège, Liège, Belgium, e.delhez@uliege.be

^c Université de Liège, Liège, Belgium, a.mouchet@uliege.be



Nowadays marine models routinely produce large amounts of results. Making sense of all these real numbers is not a trivial task. This is why specific interpretation methods are needed. Estimating timescales is one of them. In this respect, a comprehensive theory (CART) is developed that allows for the estimation of timescales such as the age and the residence time from the solution of **partial differential problems**.


At any time and position, the **age** — a measure of the **elapsed time** — of every constituent, or group of constituents, of seawater can be estimated in such a way that

advection, diffusion and reactions are properly taken into account. For every constituent, the core variable is the **age distribution function**, $c_i(t, \mathbf{x}, \tau)$, where the subscript i identifies the constituent under consideration, whilst t and \mathbf{x} denote the time and the position vector, respectively. For a seawater sample of volume $\delta V \rightarrow 0$ taken at time t and location \mathbf{x} , the mass of the i -th constituent whose age lies in the interval $[\tau, \tau + \delta\tau]$ tends to $\rho_i c_i(t, \mathbf{x}, \tau) \delta\tau \delta V$ in the limit $\delta\tau \rightarrow 0$, where ρ_i is the (constant) reference density of seawater (Boussinesq approximation). The age distribution function may be viewed as the histogram of the ages of the particles of the i -th constituent in the aforementioned seawater sample.

Classical mass budget considerations lead to the equation governing the evolution of $c_i(t, \mathbf{x}, \tau)$, which is closely related to Green's function when the concentration of the constituent under study obeys a linear equation. Then, the concentration (defined as a mass fraction) and age concentration, $C_i(t, \mathbf{x})$ and $\alpha_i(t, \mathbf{x})$, are the zeroth and first-order moments of the age distribution, respectively (see equations opposite). The mean age, $a_i(t, \mathbf{x})$, is obtained in accordance with the age-averaging hypothesis (Deleersnijder et al. 2001): the mean age is to be evaluated as the mass-weighted mean of the ages of the particles under consideration.

The form of (resolved and unresolved) transport terms is identical in the equation governing the concentration and in that for the age concentration. Therefore, the mean age, $a_i(t, \mathbf{x})$, provides diagnoses fully consistent with the model whose results are to be interpreted. Another advantage of the present Eulerian approach is that

$$\begin{aligned}
 & \underbrace{\frac{\partial c_i}{\partial t} = \vartheta_i - \nabla \cdot (c_i \mathbf{v} - \mathbf{K} \cdot \nabla c_i) - \frac{\partial c_i}{\partial \tau}}_{\Downarrow} \\
 & C_i(t, \mathbf{x}) = \int_0^\infty c_i(t, \mathbf{x}, \tau) d\tau, \quad \alpha_i(t, \mathbf{x}) = \int_0^\infty \tau c_i(t, \mathbf{x}, \tau) d\tau \\
 & \quad \quad \quad a_i(t, \mathbf{x}) = \frac{\alpha_i(t, \mathbf{x})}{C_i(t, \mathbf{x})} \\
 & \quad \quad \quad \Uparrow \\
 & \underbrace{\frac{\partial C_i}{\partial t} = \Theta_i - \nabla \cdot (C_i \mathbf{v} - \mathbf{K} \cdot \nabla C_i)}_{\text{and}} \\
 & \frac{\partial \alpha_i}{\partial t} = C_i + \Pi_i - \nabla \cdot (\alpha_i \mathbf{v} - \mathbf{K} \cdot \nabla \alpha_i) \\
 & \quad \quad \quad (\Theta_i, \Pi_i) = \int_0^\infty (\vartheta_i, \tau \vartheta_i) d\tau
 \end{aligned}$$



theoretical results are easier to obtain than in the Lagrangian formalism. For instance, the biases of the age derived from radioactive tracers (see figure opposite) or from the time lag method have been uncovered and investigated in depth. The age also turned out to be of use to diagnose reaction rates in ecosystem models, i.e. in models in which the reaction terms are non-linear. On the other hand, the age of tracers released by

a point source in a number of shallow water domains has been simulated numerically and investigated in a theoretical manner, leading to the discovery of an intriguing symmetry property (Beckers et al. 2001).


The **residence time** is defined as the time needed for a particle to hit for the first time an open boundary of the domain. To account for the fact that particles may re-enter the domain of interest after leaving it, the concept of **exposure time** was introduced. The propensity of particles to re-enter the domain may be evaluated by means of the **return coefficient**. The residence time and the exposure time, $\eta(t, \mathbf{x})$, are the solution of an adjoint equation (Delhez et al. 2004), which is to be integrated backward in time,

$$\frac{\partial \eta}{\partial t} = -\omega - \nabla \cdot (\eta \mathbf{v} + \mathbf{K} \cdot \nabla \eta), \quad \omega(\mathbf{x}) = \begin{cases} 1 & \text{if } \mathbf{x} \in \text{domain of interest} \\ 0 & \text{if } \mathbf{x} \notin \text{domain of interest} \end{cases}$$

In the framework of idealised flow studies, it was seen that the residence/exposure time of sinking particles (e.g. diatoms) in the upper mixed layer is an increasing function of the eddy diffusivity. A generalisation of this approach allowed for the evaluation of the amount of light such particles are exposed to. Relevant inequalities and seemingly counterintuitive results were established and discussed.

The abovementioned time-scales proved to be particularly useful for investigating the **water renewal** of semi-enclosed domains. A general method was developed, which suggests that the age of the renewing water be estimated as well as the residence/exposure time of the water originally present in the domain of interest (de Brye et al 2012). Several estuaries share the same property (see figure opposite): the variability of the residence and exposure time is much more pronounced at the period of the dominant tidal component than at the timescale of the spring-neap cycle though these diagnostic timescales are usually significantly longer than the duration of a spring-neap cycle.

Scheldt Estuary water renewal timescales



The concept of age is being generalised, leading to the notion of **partial age** (Mouchet et al. 2016). The domain of interest is split into several subdomains and every constituent particle is henceforth “equipped” with several clocks (rather than only one), allowing for the time spent in each subdomain to be evaluated. This way, information about pathways is obtained without having recourse to Lagrangian calculations.

Publications related to the development and application of the
Constituent-oriented Age and Residence time Theory (CART)

<http://www.climate.be/cart>

Selected publications

- Beckers J.-M., E. Delhez and E. Deleersnijder, 2001, Some properties of generalized age-distribution equations in fluid dynamics, *SIAM Journal on Applied Mathematics*, 61, 1526-1544,
<http://dx.doi.org/10.1137/S0036139999363810>
- de Brye B., A. de Brauwere, O. Gourgue, E.J.M. Delhez and E. Deleersnijder, 2012, Water renewal timescales in the Scheldt Estuary, *Journal of Marine Systems*, 94, 74-86,
<http://dx.doi.org/10.1016/j.jmarsys.2011.10.013>
- Deleersnijder E., J.-M. Campin and E.J.M. Delhez, 2001, The concept of age in marine modelling: I. Theory and preliminary model results, *Journal of Marine Systems*, 28, 229-267,
<http://dx.doi.org/10.1016/S0924-7963%2801%2900026-4>
- Delhez E.J.M., A.W. Heemink and E. Deleersnijder, 2004, Residence time in a semi-enclosed domain from the solution of an adjoint problem, *Estuarine, Coastal and Shelf Science*, 61, 691-702,
<http://dx.doi.org/10.1016/j.ecss.2004.07.013>
- Lucas L.V. and E. Deleersnijder, 2020, Timescale methods for simplifying, understanding and modeling biophysical and water quality processes in coastal aquatic ecosystems: a review, *Water*, 12, 2717, <http://dx.doi.org/10.3390/w12102717>
- Mouchet A., F. Cornaton, E. Deleersnijder and E.J.M. Delhez, 2016, Partial ages: diagnosing transport processes by means of multiple clocks, *Ocean Dynamics*, 66, 367-386,
<http://dx.doi.org/10.1007/s10236-016-0922-6>
- Vallaes V., J. Lambrechts, P. Delandmeter, J. Pätsch, A. Spitz, E. Hanert and E. Deleersnijder, 2021, Understanding the circulation in the deep, micro-tidal and strongly stratified Congo River estuary, *Ocean Modelling*, 167, 101890, <https://doi.org/10.1016/j.ocemod.2021.101890>

Comprehensive list of publications

1. TARTINVILLE B., E. DELEERSNIJDER and J. RANCHER, 1997, The water residence time in the Mururoa atoll lagoon: a three-dimensional model sensitivity analysis, *Coral Reefs*, 16, 193-203
2. DELEERSNIJDER E., B. TARTINVILLE and J. RANCHER, 1997, A simple model of the tracer flux from the Mururoa lagoon to the Pacific, *Applied Mathematics Letters*, 10 (5), 13-17
3. DELEERSNIJDER E., J. WANG and C.N.K. MOOERS, 1998, A two-compartment model for understanding the simulated three-dimensional circulation in Prince William Sound, Alaska, *Continental Shelf Research*, 18, 279-287
4. DELEERSNIJDER E., 1998, Echelles de temps déterminant, ou déterminées par, les écoulements des fluides géophysiques, *Bulletin de la Société Royale des Sciences de Liège*, 67 (1-2), 43-68

5. DELHEZ E.J.M., J.-M. CAMPIN, A.C. HIRST and E. DELEERSNIJDER, 1999, Toward a general theory of the age in ocean modelling, *Ocean Modelling*, 1, 17-27
6. BECKERS J.-M., E.J.M. DELHEZ and E. DELEERSNIJDER, 2001, Some properties of generalised age-distribution equations in fluid dynamics, *SIAM Journal on Applied Mathematics*, 61, 1526-1544
7. DELEERSNIJDER E., J.-M. CAMPIN and E.J.M. DELHEZ, 2001, The concept of age in marine modelling: I. Theory and preliminary model results, *Journal of Marine Systems*, 28, 229-267
8. DELEERSNIJDER E., E.J.M. DELHEZ, M. CRUCIFIX and J.-M. BECKERS, 2001, On the symmetry of the age field of a passive tracer released into a one-dimensional fluid flow by a point-source, *Bulletin de la Société Royale des Sciences de Liège*, 70, 5-21
9. DELHEZ E.J.M. and E. DELEERSNIJDER, 2002, The concept of age in marine modelling: II. Concentration distribution function in the English Channel and the North Sea, *Journal of Marine Systems*, 31, 279-297
10. SPAGNOL S., E. WOLANSKI, E. DELEERSNIJDER, R. BRINKMAN, F. McALLISTER, B. CUSHMAN-ROISIN and E. HANERT, 2002, An error frequently made in the evaluation of advective transport in two-dimensional Lagrangian models of advection-diffusion in coral reef waters, *Marine Ecology Progress Series*, 235, 299-302
11. DELEERSNIJDER E., A. MOUCHET, E.J.M. DELHEZ and J.-M. BECKERS, 2002, Transient behaviour of water ages in the World Ocean, *Mathematical and Computer Modelling*, 36, 121-127
12. DELHEZ E.J.M., E. DELEERSNIJDER, A. MOUCHET and J.-M. BECKERS, 2003, A note on the age of radioactive tracers, *Journal of Marine Systems*, 38, 277-286
13. DELEERSNIJDER E., 2003, Comments on "Water renewal time for classification of atoll lagoons in the Tuamotu Archipelago (French Polynesia)" by Andréfouët et al. [*Coral Reefs* (2001) 20:399-408], *Coral Reefs*, 22, 307-308
14. DELHEZ E.J.M., G. LACROIX and E. DELEERSNIJDER, 2004, The age as a diagnostic of the dynamics of marine ecosystem models, *Ocean Dynamics*, 54, 221-231, doi: 10.1007/s10236-003-0075-2
15. DELHEZ E.J.M., E. DELEERSNIJDER and M. RIXEN (Editors), 2004, *Tracer Methods in Geophysical Fluid Dynamics*, 34th International Liège Colloquium on Ocean Dynamics (Liège, Belgium, May 6-10, 2002), *Journal of Marine Systems*, 48, 1-193 (Preface pp. 1-2)
16. DELEERSNIJDER E. and E.J.M. DELHEZ, 2004, Symmetry and asymmetry of water ages in a one-dimensional flow, *Journal of Marine Systems*, 48, 61-66
17. DELHEZ E.J.M., A.W. HEEMINK and E. DELEERSNIJDER, 2004, Residence time in a semi-enclosed domain from the solution of an adjoint problem, *Estuarine, Coastal and Shelf Science*, 61, 691-702, doi: 10.1016/j.ecss.2004.07.013
18. DELHEZ E.J.M., 2006, Transient residence and exposure times, *Ocean Science*, 2, 1-9
19. DELEERSNIJDER E., J.-M. BECKERS and E.J.M. DELHEZ, 2006, The residence time of settling particles in the surface mixed layer, *Environmental Fluid Mechanics*, 6, 25-42
20. DELHEZ E.J.M. and E. DELEERSNIJDER, 2006, The boundary layer of the residence time field, *Ocean Dynamics*, 56, 139-150
21. DELEERSNIJDER E., J.-M. BECKERS and E.J.M. DELHEZ, 2006, On the behaviour of the residence time at the bottom of the mixed layer, *Environmental Fluid Mechanics*, 6, 541-547
22. SPIVAKOVSKAYA D., A.W. HEEMINK and E. DELEERSNIJDER, 2007, Lagrangian modelling of multi-dimensional advection-diffusion with space-varying diffusivities: theory and idealized test cases, *Ocean Dynamics*, 57, 189-203
23. DELEERSNIJDER E. and E.J.M. DELHEZ (Eds.), 2007, *Timescale- and Tracer-Based Methods for Understanding the Results of Complex Marine Models*, in: *Estuarine Coastal and Shelf Science*, 74, 585-776 (Editorial pp. v-vii)

24. GOURGUE O., E. DELEERSNIJDER and L. WHITE, 2007, Toward a generic method for studying water renewal, with application to the epilimnion of Lake Tanganyika, *Estuarine, Coastal and Shelf Science*, 74, 628-640
25. WHITE L. and E. DELEERSNIJDER, 2007, Diagnoses of vertical transport in a three-dimensional finite-element model of the tidal circulation around an island, *Estuarine, Coastal and Shelf Science*, 74, 655-669
26. MERCIER C. and E.J.M. DELHEZ, 2007, Diagnosis of the sediment transport in the Belgian Coastal Zone, *Estuarine, Coastal and Shelf Science*, 74, 670-683
27. SPIVAKOVSKAYA D., A.W. HEEMINK and E. DELEERSNIJDER, 2007, The backward Ito method for the Lagrangian simulation of transport processes with large space variations of the diffusivity, *Ocean Science*, 3, 525-535
28. DELHEZ E.J.M. and E. DELEERSNIJDER, 2008, Age and the time lag method, *Continental Shelf Research*, 28, 1057-1067
29. MOUCHET A. and E. DELEERSNIJDER, 2008, The leaky funnel model, a metaphor of the ventilation of the World Ocean as simulated in an OGCM, *Tellus*, 60A, 761-774
30. ORRE S., Y. GAO, H. DRANGE and E. DELEERSNIJDER, 2008, Diagnosing ocean tracer transport from Sellafield and Dounreay by equivalent diffusion and age, *Advances in Atmospheric Sciences*, 25, 805-814
31. PRIMEAU F. and E. DELEERSNIJDER, 2009, On the time to tracer equilibrium in the global ocean, 5, 13-28
32. DELHEZ E.J.M. and E. DELEERSNIJDER, 2010, Residence time and exposure time of sinking phytoplankton species in the euphotic layer, *Journal of Theoretical Biology*, 262, 505-516
33. BLAISE S., B. DE BRYE, A. DE BRAUWERE, E. DELEERSNIJDER, E.J.M. DELHEZ and R. COMBLIN, 2010, Capturing the residence time boundary layer - Application to the Scheldt Estuary, *Ocean Dynamics*, 60, 535-554
34. MERCIER C. and E.J.M. DELHEZ, 2010, Consistent computation of the age of water parcels using CART, *Ocean Modelling*, 35, 67-76
35. MERCIER C. and E.J.M. DELHEZ, 2010, A modified TVD scheme for the advection of two or more variables with consideration for their sum, *Ocean Dynamics*, 60, 1157-1166
36. DE BRAUWERE A., B. DE BRYE, S. BLAISE and E. DELEERSNIJDER, 2011, Residence time, exposure time and connectivity in the Scheldt Estuary, *Journal of Marine Systems*, 84, 85-95
37. SHAH S.H.A.M., A.W. HEEMINK and E. DELEERSNIJDER, Assessing Lagrangian schemes for simulating diffusion on non-flat isopycnal surfaces, *Ocean Modelling*, 39, 351-361
38. LIETAER O., E. DELEERSNIJDER, T. FICHEFET, M. VANCOPPENOLLE, R. COMBLIN, S. BOUILLON and V. LEGAT, 2011, The vertical age profile in sea ice: theory and numerical results, *Ocean Modelling*, 40, 211-226
39. CORNATON F.J., Y.-J. PARK and E. DELEERSNIJDER, 2011, On the relationship between radiometric age, velocity, and mean age of groundwater, *Journal of Hydrology*, 410, 217-225
40. DE BRYE B., A. DE BRAUWERE, O. GOURGUE, E.J.M. DELHEZ and E. DELEERSNIJDER, 2012, Water renewal timescales in the Scheldt Estuary, *Journal of Marine Systems*, 94, 74-86
41. GRAEWE U., E. DELEERSNIJDER, S.H.A.M. SHAH and A.W. HEEMINK, 2012, Why the Euler scheme in particle tracking is not enough: the shallow-sea pycnocline test case, *Ocean Dynamics*, 62, 501-514
42. MOUCHET A., E. DELEERSNIJDER and F. PRIMEAU, 2012, The leaky funnel model revisited, *Tellus A*, 64, 19131
43. DELHEZ E.J.M. and E. DELEERSNIJDER, 2012, Residence and exposure times: when diffusion does not matter, *Ocean Dynamics*, 62, 1399-1407

44. SHAH S.H.A.M., A.W. HEEMINK, U. GRAEWE and E. DELEERSNIJDER, 2013, Adaptive time stepping algorithm for Lagrangian transport models: theory and idealised test cases, *Ocean Modelling*, 68, 9-21
45. DELHEZ E.J.M., 2013, On the concept of exposure time, *Continental Shelf Research*, 71, 27-36
46. DELHEZ E.J.M. and F. WOLK, 2014, Diagnosis of the transport of adsorbed material in the Scheldt estuary: A proof of concept, *Journal of Marine Systems*, 128, 17-26
47. ANDUTTA F.P., P.V. RIDD, E. DELEERSNIJDER and D. PRANDLE, 2014, Contaminant exchange rates in estuaries – New formulae accounting for advection and dispersion, *Progress in Oceanography*, 120, 139-153
48. DELHEZ E.J.M., B. DE BRYE, A. DE BRAUWERE and E. DELEERSNIJDER, 2014, Residence time vs influence time, *Journal of Marine Systems*, 132, 185-195
49. MOUCHET A., F. CORNATON, E. DELEERSNIJDER and E.J.M. DELHEZ, 2016, Partial ages: diagnosing transport processes by means of multiple clocks, *Ocean Dynamics*, 66, 367-386
50. LE BARS Y., V. VALLAEYS, E. DELEERSNIJDER, E. HANERT, L. CARRERE and C. CHANNELIERE, 2016, Unstructured-mesh modeling of the Congo river-to-sea continuum, *Ocean Dynamics*, 66, 589-603
51. ANDUTTA F.P., F. HELFER, L. BRUNER DE MIRANDA, E. DELEERSNIJDER, C. THOMAS and C. LEMCKERT, 2016, An assessment of transport timescales and return coefficient in adjacent tropical estuaries, *Continental Shelf Research*, 124, 49-62
52. SHAH S.H.A.M., F. PRIMEAU, E. DELEERSNIJDER and A.W. HEEMINK, 2017, Tracing the ventilation pathways of the deep North Pacific Ocean using Lagrangian particles and Eulerian tracers, *Journal of Physical Oceanography*, 47, 1261-1280
53. PHAM VAN C., B. DE BRYE, A. DE BRAUWERE, A.J.F. HOITINK, S. SOARES-FRAZAO and E. DELEERSNIJDER, 2020, Numerical simulation of water renewal timescales in the Mahakam Delta, Indonesia, *Water*, 12, 1017, doi: 10.3390/w12041017
54. DELEERSNIJDER E., I. DRAOUI, J. LAMBRECHTS, V. LEGAT and A. MOUCHET, 2020, Consistent boundary conditions for age calculations, *Water*, 12, 1274, doi: 10.3390/w12051274
55. LUCAS L.V. and E. DELEERSNIJDER, 2020, Timescale methods for simplifying, understanding and modeling biophysical and water quality processes in coastal aquatic ecosystems: a review, *Water*, 12, 2717, doi: 10.3390/w12102717
56. DEWALS B., P. ARCHAMBEAU, M. BRUWIER, S. ERPICUM, M. PIROTON, T. ADAM, E.J.M. DELHEZ and E. DELEERSNIJDER, 2020, Age of water particles as a diagnosis of steady-state flows in shallow rectangular reservoirs, *Water*, 12, 2819, doi: 10.3390/w12102819
57. LUCAS L. and E. DELEERSNIJDER, 2021, Diagnostic timescales: old concepts, new methods, and the ageless power of simplification, *CERF's Up!*¹, 47(1), 14-15, <http://hdl.handle.net/2078.1/244361>
58. VALLAEYS V., J. LAMBRECHTS, P. DELANDMETER, J. PÄTSCH, A. SPITZY, E. HANERT and E. DELEERSNIJDER, 2021, Understanding the circulation in the deep, micro-tidal and strongly stratified Congo River estuary, *Ocean Modelling*, 167, 101890, doi: 10.1016/j.ocemod.2021.101890
59. LUCAS L.V. and E. DELEERSNIJDER, 2021, Tracers and timescales: tools for distilling and simplifying complex fluid mechanical problems, *Water*, 13, 2796, doi: 10.3390/w13192796
60. DELEERSNIJDER E., I.M. KOSZALKA and L.V. LUCAS (Editors), 2022, *Tracer and Timescale Methods for Passive and Reactive Transport in Fluid Flows*, MDPI, Basel, Switzerland, 352 pages, <https://www.mdpi.com/books/pdfview/book/5512>

¹ Quarterly Bulletin of CERF (Coastal & Estuarine Research Federation)

<http://www.climate.be/cart>